



AIHA Laboratory Accreditation Programs, LLC

acknowledges that

Legacy Environmental Laboratory, LLC

109 Carpenter Dr Ste 100 Sterling, VA 20164-4467

Laboratory ID: 1132851

along with all premises from which key activities are performed, as listed above, has fulfilled the requirements of the AIHA Laboratory Accreditation Programs, LLC (AIHA LAP) accreditation to the ISO/IEC 17025:2017 international standard, General Requirements for the Competence of Testing and Calibration Laboratories in the following:

LABORATORY ACCREDITATION PROGRAMS

<input type="checkbox"/>	INDUSTRIAL HYGIENE	Accreditation Expires:
<input type="checkbox"/>	ENVIRONMENTAL LEAD	Accreditation Expires:
<input checked="" type="checkbox"/>	ENVIRONMENTAL MICROBIOLOGY	Accreditation Expires: August 01, 2027
<input type="checkbox"/>	FOOD	Accreditation Expires:
<input type="checkbox"/>	UNIQUE SCOPES	Accreditation Expires:
<input type="checkbox"/>	BE FIELD/MOBILE	Accreditation Expires:

Specific Field(s) of Testing/Method(s) within each Accreditation Program for which the above named laboratory maintains accreditation is outlined on the attached Scope of Accreditation. Continued accreditation is contingent upon successful on-going compliance with ISO/IEC 17025:2017 and AIHA LAP requirements. This certificate is not valid without the attached Scope of Accreditation. Please review the AIHA LAP website (www.aihaaccreditedlabs.org) for the most current Scope.

Cheryl O Morton
Managing Director, AIHA Laboratory Accreditation Programs, LLC



AIHA Laboratory Accreditation Programs, LLC

SCOPE OF ACCREDITATION

**Legacy Environmental Laboratory,
LLC**

109 Carpenter Dr Ste 100 Sterling, VA 20164-4467

Laboratory ID: 1132851

Issue Date: 08/01/2025

Expire Date: 08/01/2027

The laboratory is approved for those specific field(s) of testing/methods listed in the table below. Clients are urged to verify the laboratory's current accreditation status for the particular field(s) of testing/Methods, since these can change due to proficiency status, suspension and/or withdrawal of accreditation.

Environmental Microbiology Laboratory Accreditation Program (EMLAP)

Initial Accreditation Date: 08/01/2025

EMLAP Scope Category	Field of Testing (FOT)	Component, parameter, characteristic, material, or product tested	Method	Method Description <i>(for internal methods only)</i>
Bacterial	Air - Culturable	Air	SOP 7.1.1	In-house: Analysis of Culturable Air Samples for Bacteria
Bacterial	Air - Culturable	Air	SOP 7.1.2	In-house: Analysis of Culturable Air Samples for Bacteria
Bacterial	Bulk - Culturable	Bulk, Liquid	SOP 7.2	In-house: Analysis of Culturable Bulk Samples for Bacteria
Bacterial	Bulk - Culturable	Bulk, Liquid	SOP 7.4.2	In-house: Analysis of Culturable Bulk Samples for Bacteria
Bacterial	Bulk - Culturable	Bulk, Liquid	SOP 7.4.4	In-house: Analysis of Culturable Bulk Samples for Bacteria
Bacterial	Bulk - Culturable	Bulk, Liquid	SOP 7.4.5	In-house: Analysis of Culturable Bulk Samples for Bacteria
Bacterial	Bulk - Culturable	Bulk, Liquid	SOP 7.4.6	In-house: Analysis of Culturable Bulk Samples for Bacteria
Bacterial	Legionella	Liquid, Surface	SOP 7.4.1	In-house analysis for Legionella using CDC ELITE guidelines
Bacterial	Surface - Culturable	Surface	SOP 7.3.1	In-house: Analysis of Culturable Surface Samples for Bacteria
Bacterial	Surface - Culturable	Surface	SOP 7.3.2	In-house: Analysis of Culturable Surface Samples for Bacteria

Effective: 10/24/2023

Revision: 8

Page 1 of 2



EMLAP Scope Category	Field of Testing (FOT)	Component, parameter, characteristic, material, or product tested	Method	Method Description <i>(for internal methods only)</i>
Fungal	Air - Culturable	Air	SOP 7.5	In-house: Analysis of Culturable Air Samples for Fungal
Fungal	Air - Direct Examination	Air	SOP 11.1	In-house: Direct examination of Air Samples for Fungal
Fungal	Bulk - Culturable	Bulk, Liquid	SOP 8.6	In-house: Analysis of Culturable Bulk Samples for Fungal
Fungal	Bulk - Culturable	Bulk, Liquid	SOP 8.8	In-house: Analysis of Culturable Bulk Samples for Fungal
Fungal	Surface - Culturable	Surface	SOP 8.7.1	In-house: Analysis of Culturable Surface Samples for Fungal
Fungal	Surface - Culturable	Surface	SOP 8.7.2	In-house: Analysis of Culturable Surface Samples for Fungal
Fungal	Surface - Direct Examination	Surface	SOP 11.2	In-house: Direct examination of Surface Samples for Fungal

A complete listing of currently accredited EMLAP laboratories is available on the AIHA LAP, LLC website at: <http://www.aihaaccreditedlabs.org>